

**CATALOGUE
2021**



An ISO 9001:2015 Certified Co.

ARTH[®]

New Meaning to Quality...

- Specialize in Synthetic Rubber Hoses
- Coolant, Heat, Ozone & Weather Resistant EPDM Hoses
- Heat & Oil Resistant NBR Hoses



Radiator & Coolant Hoses for
Automobile & Tractor Range

EPDM & NBR Hoses



ABOUT US

Tuteja Industries India (Tii) is a prominent manufacturer, exporter and supplier of high quality E.P.D.M. Rubber Radiator and Coolant Hoses, NBR Rubber Oil & Heat resistant Hoses for Commercial Vehicle, Tractors and Heavy Earth Movers under the brand name "ARTH ". Though, fairly a new entrant, Tii have made a significant growth in the industry since its inception, not based on any powerful marketing technique but on word of mouth. Today, their products are readily available in most of the Indian States, along with overseas market.

Along with covering new markets, Tii is also working on the product range, new hoses are been introduced almost every fortnight with an idea to cover complete automobile, and tractor range in India and to make a mark in the international circuit.

Today, Tii manufacture over 1700 different hoses and all are readily available; they believe timely delivery is as important as the quality.



An ISO 9001:2015 Certified Co.

ARTH[®]



Plant & Machinery

The plant is complete and adequate to manufacture entire range of hoses. We have Extrusion production lines to extrude hose from 4mm id till 150mm id, with high capacity Kneader, 2 Open Mixing Mills, 3 Extruders, 2 high speed Knitting and a Braiding machine, 2 Boilers and 4 Autoclaves. Extrusion heads, Dies and Hose Moulds are developed and designed to perfection with precise accuracy and complete detailing.

Quality Policy

We believe , the only way to go forward, is to strive on Quality, Quality Product along with Quality Packaging & Timely Delivery. In quality front, we don't compromise even a bit on the quality of raw material, the best grades of every raw material is used. Every batch is tested for Tensile, Elongation & Bursting Pressure, Once the Hoses are manufactured, they undergoes three screening processes, where they are thoroughly checked for any manufacturing defect. We have our own laboratory & we are also linked with few big research laboratories, and automobile workshops, where the newly developed hoses are first tested under variety of simulated conditions as well as in real life in automobile workshops, before introducing in the market.

“Continuous efforts in improving on the quality, range and final delivery, are the three parameters that define us and are the reasons behind our growth.”

What We Offer :

 Hoses for Heavy Commercial Vehicles (HCV) : Page no. 01-27

 Hoses for Light Commercial Vehicles (LCV) : Page no. 28-33

 Hoses for Multi Utility Vehicles (MUV) : Page No. 34-41

 Hoses for Passenger Cars
Page no. 42-47

 Hoses for Tractor Segment
Page no. 48-59

 Hoses for Generators
Page no. 60-62

 Hoses for Heavy Earth Movers
Page no. 63-66

 Hoses for Industrial Usage
L-Bends, Elbows & Reducer Hoses
Page no. 67-68

 Coolant Resistant, Oil Resistant Rolls & Straight Hoses
Page no. 69

"ALWAYS DELIVER MORE THAN EXPECTED."

— Larry Page, co-founder of Google



INDUSTRIAL L-BendS, 18" & 22"



AH 4197	1	25.40 mm	L-Bend Hose, 1" X 18"
AH 4198	2	31.75 mm	L-Bend Hose, 1 1/4" X 18"
AH 4199	3	38.10 mm	L-Bend Hose, 1 1/2" X 18"
AH 4200	4	44.45 mm	L-Bend Hose, 1 3/4" X 18"
AH 4201	5	50.80 mm	L-Bend Hose, 2" X 18"
AH 4202	6	55.00 mm	L-Bend Hose, 2 1/4" X 18"
AH 4203	7	60.00 mm	L-Bend Hose, 60mm X 18"
AH 4204	8	65.00 mm	L-Bend Hose, 65mm X 18"
AH 4205	9	70.00 mm	L-Bend Hose, 2 1/2" X 18"
AH 4206	10	75.00 mm	L-Bend Hose, 3" X 18"
AH 4206A	11	82.55 mm	L-Bend Hose, 3 1/4" X 18"
AH 4207	12	89.00 mm	L-bend Hose, 3 1/2" X 18"
AH 4208	13	101.60 mm	L-Bend Hose, 4" X 18"
AH 4208A	14	114.30 mm	L-Bend Hose, 4 1/2" X 18"
AH 4209	15	127.00 mm	L-Bend Hose, 5" X 18"

AH 4210A	1	25.40 mm	L-Bend Hose, 1" X 22"
AH 4210B	2	31.75 mm	L-Bend Hose, 1 1/4" X 22"
AH 4210C	3	38.10 mm	L-Bend Hose, 1 1/2" X 22"
AH 4210D	4	44.45 mm	L-Bend Hose, 1 3/4" X 22"
AH 4211	5	50.80 mm	L-Bend Hose, 2" X 22"
AH 4212	6	55.00 mm	L-Bend Hose, 2 1/4" X 22"
AH 4213	7	60.00 mm	L-Bend Hose, 60mm X 22"
AH 4214	8	65.00 mm	L-Bend Hose, 65mm X 22"
AH 4215	9	70.00 mm	L-Bend Hose, 2 1/2" X 22"
AH 4216	10	75.00 mm	L-Bend Hose, 3" X 22"
AH 4216A	11	82.55 mm	L-Bend Hose, 3 1/4" X 22"
AH 4217	12	89.00 mm	L-bend Hose, 3 1/2" X 22"
AH 4218	13	101.60 mm	L-Bend Hose, 4" X 22"
AH 4218A	14	114.30 mm	L-Bend Hose, 4 1/2" X 22"
AH 4219	15	127.00 mm	L-Bend Hose, 5" X 22"

REDUCER HOSES, 7" LENGTH




AH 4228	Reducer Hose, 30mm & 38.10mm
AH 4229	Reducer Hose, 38.10mm & 45mm
AH 4230	Reducer Hose, 45mm & 50mm
AH 4231	Reducer Hose, 45mm & 55mm
AH 4232	Reducer Hose, 50mm & 60mm
AH 4233	Reducer Hose, 55mm & 65mm
AH 4234	Reducer Hose, 65mm & 70mm
AH 4235	Reducer Hose, 65mm & 75mm
AH 4236	Reducer Hose, 70mm & 80mm
AH 4237	Reducer Hose, 3" by 4"
AH 4238	Reducer Hose, 4" by 5"

REDUCER HOSES : LENGTHS



AH 4249	Reducer Hose, 7mm & 13mm X 30" Long
AH 4250	Reducer Hose, 6mm & 8mm X 40" Long
AH 4251	Reducer Hose, 8mm & 10mm X 40" Long
AH 4252	Reducer Hose, 12mm & 15mm X 24" Long
AH 4253	Reducer Hose, 15mm & 19mm X 24" Long
AH 4254	Reducer Hose, 18mm & 19mm X 30" Long


INDUSTRIAL L-BENDS



AH 4255	L-Bend Hose, 1 1/4" X 8" X 16"	
AH 4259	L-Bend Hose, 1 1/2" X 6" X 24"	
AH 4260	L-Bend Hose, 1 1/2" X 12" X 24"	(36" Length)
AH 4270	L-Bend Hose, 1 1/4" X 12" X 12"	(26" Length)
AH 4271	L-Bend Hose, 1 1/4" X 12" X 14"	(29" Length)
AH 4272	L-Bend Hose, 1 1/4" X 12" X 22"	(36" Length)
AH 4273	L-Bend Hose, 1 1/4" X 13" X 25"	(40" Length)
AH 4279	L-Bend Hose, 2" X 5" X 5"	(13" Length)
AH 4280	L-Bend Hose, 2" X 12" X 12"	(26" Length)
AH 4281	L-Bend Hose, 2" X 12" X 14"	(28" Length)
AH 4282	L-Bend Hose, 2" X 13" X 13"	(28" Length)
AH 4283	L-Bend Hose, 2" X 10" X 20"	(32" Length)
AH 4285	L-Bend Hose, 2 1/4" X 5" X 5"	(13" Length)
AH 4286	L-Bend Hose, 2 1/4" X 12" X 15"	(29" Length)
AH 4287	L-Bend Hose, 2 1/4" X 13" X 13"	(29" Length)
AH 4289	L-Bend Hose, 2 1/4" X 5" X 5"	(13" Length)
AH 4290	L-Bend Hose, 2 1/2" X 12" X 15"	(29" Length)
AH 4291	L-Bend Hose, 2 1/2" X 9" X 18"	(29" Length)
AH 4292	L-Bend Hose, 2 3/4" X 12" X 12"	
AH 4293	L-Bend Hose, 2 3/4" X 13" X 13"	
AH 4294	L-Bend Hose, 3" X 12" X 15"	(30" Length)
AH 4295	L-Bend Hose, 3" X 10" X 19"	(32" Length)

ELBOW HOSES (3" BY 3")

AH 4301	Elbow Hose, 1" X 1"
AH 4302	Elbow Hose, 1½" X 1½"
AH 4303	Elbow Hose, 1¾" X 1¾"
AH 4304	Elbow Hose, 2" X 2"
AH 4305	Elbow Hose, 2¼" X 2¼"
AH 4306	Elbow Hose, 2½" X 2½"
AH 4307	Elbow Hose, 3" X 3"
AH 4308	Elbow Hose, 4" X 4"
AH 4309	Elbow Hose, 5" X 5"
AH 4310	Elbow Hose, 6" X 6"




REDUCER ELBOW HOSES (3" by 3")

AH 4321/4262A	C-Bend Hose, 50mm by 60mm
AH 4322/4262B	C-Bend Hose, 50mm by 75mm
AH 4323/4268	C-Bend Hose, 55mm by 60mm
AH 4324/4269	C-Bend Hose, 55mm by 65mm
AH 4325/4263	C-Bend Hose, 60mm by 70mm
AH 4326/4265	C-Bend Hose, 60mm by 75mm
AH 4327/4266	C-Bend Hose, 65mm by 75mm
AH 4328/4269A	C-Bend Hose, 75mm by 100mm



MISCELLANEOUS HOSES

AH 9000	L-Bend Hose Set (Set of 2 Pcs.)
AH 9001	1. L-Bend Hose, 1" X 14"
AH 9002	2. L-Bend Hose, 1" X 18"
AH 9010	Long Hose, id 2"
AH 9011	Bend Hose, id 2" X 23"
AH 9012	S-Bend Hose Isuzu Eng.
AH 9012A	Long Hose Isuzu Eng.
AH 9012B	U-Bend Hose Isuzu Eng.
AH 9016	L-Bend Hose, 2" X 10" (Center Bend)




MISCELLANEOUS HOSES

AH 9017	L-Bend Hose, 3" X 12" (Center Bend)
AH 9018	L-Bend Hose, 60mm X 13"
AH 9019	Reducer L-Bend Hose(1550000314)
AH 9019A	Reducer L-Bend Hose(1550000313A)
AH 9020	L-Bend Hose, id 3" & 3½"
AH 9021	L-Bend Hose, ¾" id. X 13 cm X 13 cm
AH 9022/4260	C-Bend Hose, 1½" X 12"



ROYAL ENFIELD HOSES

AH 15001	L-Bend Hose, 33"
AH 15002	L-Bend Hose, 17"
AH 15003	Z-Bend Hose, 23"
AH 15004	L-Bend Hose, 4mm X 19"
AH 15005	Z-Bend Hose, 15"



Heat Resistant Coolant & Heater Hoses

(Designed for heater hose applications, where resistance to antifreeze coolants and under hood temperature are required.)

Application : General Purpose, Heater Systems
 Tube & Cover : EPDM Rubber
 Reinforcement : Polyester Yarn
 Resistance : Tube/Cover Hot Water, Heat, Ozone and Weather Conditions.
 Sizes available : 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 12mm, 14mm, 15mm, 18mm, 19mm & 22mm.
 Coil length : 1, 6, 10, 25 & 50 meters.

(Wall Thickness & Length can be customized as per the requirement, Standard Wall Thickness is 4mm)

AH 5000 : 5mm	AH 5005 : 12mm
AH 5001 : 6mm	AH 5005A : 14mm
AH 5001A : 7mm	AH 5006 : 15mm
AH 5002 : 8mm	AH 5006A : 18mm
AH 5003 : 9mm	AH 5007 : 19mm
AH 5004 : 10mm	AH 5008 : 22mm

Coolant Hoses (LWT Range)

AH 5001-LWT : 6mm	AH 5005-LWT : 12mm
AH 5002-LWT : 8mm	AH 5006-LWT : 15mm
AH 5003-LWT : 9mm	AH 5007-LWT : 19mm
AH 5004-LWT : 10mm	AH 5009-LWT : 25mm

Vacuum Hoses / Brake Hoses

(A light duty hose specifically designed for power vacuum applications on cars and light duty trucks, Thickness of 3mm)

Application : Water, Air & Windshield applications
 Tube : EPDM Rubber (No re-inforcement)
 Resistance : Hot Water, Heat, Ozone & Weather Conditions.
 Coil length : 1, 6, 10, 25 & 50 meters.

(Wall Thickness & Length can be customized as per the requirement, Standard wall thickness is 3mm)

AH 5020	Coolant Hose, 3mm
AH 5021	Coolant Hose, 4mm
AH 5022	Coolant Hose, 5mm
AH 5023	Coolant Hose, 6mm
AH 5024	Coolant Hose, 7mm

Heat Resistant Coolant & Heater Hoses**Fuel & Oil Resistant Hoses**

(The Hoses are Oil Resistant, with tube of NBR rubber with reinforcement layer, can be fully immersed in the fuel tank)

Application : Diesel Pipe
 Tube & Cover : NBR Rubber
 Resistance : Oil Resistant.
 Coil length : 1, 6, 10, 25 & 50 meters.

(Wall Thickness & Length can be customized as per the requirement, Standard wall thickness is 3.50mm-4.00mm)

AH 7010A	Oil Hose, 4mm
AH 7011A	Oil Hose, 5mm
AH 7012A	Oil Hose, 6mm
AH 7013A	Oil Hose, 7mm
AH 7014A	Oil Hose, 8mm
AH 7015A	Oil Hose, 9mm

STRAIGHT HOSES (3 FEET, 36" LENGTH)

AH 1001	Straight Hose, 1/2"
AH 1002	Straight Hose, 3/8"
AH 1003	Straight Hose, 1/4"
AH 1004	Straight Hose, 3/8"
AH 1005	Straight Hose, 1"
AH 1005A	Straight Hose, 1 1/8"
AH 1006	Straight Hose, 1 1/4"
AH 1006A	Straight Hose, 1 3/8"
AH 1007	Straight Hose, 1 1/2"
AH 1007A	Straight Hose, 1 5/8"
AH 1008	Straight Hose, 1 3/4"
AH 1009	Straight Hose, 2"
AH 1009A	Straight Hose, 2 1/8"
AH 1010	Straight Hose, 2 1/4"
AH 1011	Straight Hose, 2 1/2"
AH 1011A	Straight Hose, 2 3/8"
AH 1012	Straight Hose, 2 3/4"
AH 1012A	Straight Hose, 2 7/8"
AH 1013	Straight Hose, 3"
AH 1013A	Straight Hose, 3 1/4"
AH 1014	Straight Hose, 3 1/2"
AH 1015	Straight Hose, 4"
AH 1015B	Straight Hose, 4 1/2"
AH 1016	Straight Hose, 5"



CERTIFICATION

[illegible]

ARTH[®]

EPDM & NBR Hoses



An ISO 9001:2015 Certified Co.



Manufacturer :

TUTEJA INDUSTRIES (INDIA)

Unit 4, Chotala Road, Village Ujha,

Near Dev Dharam Kanta, Panipat -132103

Haryana, India

+91-9999904930, 9354939416

www.arthrubber.com

arth.autohoses@gmail.com

**CATALOGUE
2021**